

(൨) ടി വ്യവസായാഭിവൃദ്ധിക്കുവേണ്ടി വല്ല പദ്ധതിയും രൂപീകരിച്ചു വോ;

(൩) ഉണ്ടെങ്കിൽ അതിന്റെ ഒരു പകുപ്പ് മേശപ്പുറത്തു വെക്കുമോ?

ഡാക്ടർ എ. ആർ. മേനോൻ : (൧) ൧൧൧൪ - ലേക്കു കൊള്ളിച്ചിരുന്ന സംഖ്യ ൩,൦൦൦ കയ്യല്ല. ൩,൫൦൦ ക.യാണ്. അതിൽനിന്നു ൧,൦൦൦ ക. നഷ്ടനൽ പ്ലാനിങ്ങ് കമ്മീഷനു ഗ്രാൻറ് കൊടുത്തു. ൫൦൦ ഉറപ്പിക ചിററു കുന്നതുപാളയം നെയ്ത്തുകാരുടെ പരസ്പരസഹായസംഘത്തിന്നു ഗ്രാൻറ് കൊടുത്തു.

(൨) ഉവ്വ്.

(൩) കൊ-ഓപ്പറേറ്റീവ് സൊസൈറ്റി രജിസ്ട്രാറും ഇൻഡസ്ട്രീസ് ആൻറ് കോമേർസ് ഡയറക്ടറും കൂടി അയച്ച റിപ്പോർട്ട് ഗവണ്മെന്റിന്റെ ആലോചനയിലിരിക്കുകയാകുന്നു. ഓർഡർ പാസായാലുടനെ അതിന്റെ ഒരു പകുപ്പ് ബഹുമാനപ്പെട്ട മെമ്പർക്കു അയച്ചുതരുന്നതാണ്.

R. V. C. A. HOSPITAL—CHIEF PHYSICIANS—QUALIFICATIONS OF

242. **Mr. K. R. Viswambharan (Ezhuvas-Talappalli) :** Will the Government be pleased to state the names, qualifications and age of the Chief Physicians, paid as well as honorary, employed in the Rama Varma Central Ayurvedic Hospital, Trichur?

Dr. A. R. Menon (Minister for Rural Development) :

Name.	Qualification.	Age.
1. Mr. P. Vasudevan Nam-bissan, Chief Physician.	Vaidya Pariksha of K. A. Samajam.	44
2. Brahmasri Kuttancherri Manu Moose, Honorary Chief Physician.	Hereditary, Physician.	45
3. Ravi Varma Tampuran, Additional Honorary Chief Physician.	L. I. M. Course.	29

CHITTUR RIVER—TAKING OF WATER BY POLLACHI AUTHORITIES

243. **Mr. A. Eachara Menon (Chittur-Rural) :** Will the Government be pleased to state.—

(a) whether they are aware that the authorities at Pollachi intend taking away water for drinking purposes from the river which goes by the name of Chittur river in the State;

(b) if so, would it not materially affect our irrigation systems;

(c) whether they were consulted by the Pollachi authorities;

(d) do they not remember that when a proposal was made to raise the embankment of the Mulathara system the Palghat authorities objected to it and they had to give it up ;

(e) whether they would now object to the drawing away of water which was used by the State hitherto ?

Mr. V. K. Aravindaksha Menon (*Chief Engineer*) : (a) Yes.

(b) No.

(c) Yes, by the Madras Government.

(d) It is necessary to consult the Madras Government before doing any works on the Mulathara anicut which might affect the discharge or flood condition.

(e) This Government approved of the abstraction of 1.25 cusecs of water.

Mr. A. Eachara Menon (*Chittur-Rural*) : In the answer to question (e) it is stated 'This Government approved of the abstraction of 1.25 cusecs of water'. Is it to be abstracted by the British Government?

Mr. V. K. Aravindaksha Menon (*Chief Engineer*) : Yes.

Mr. A. Eachara Menon (*Chittur-Rural*) : I want to know whether they would now object to the taking away of water which was used by the State?

Mr. V. K. Aravindaksha Menon (*Chief Engineer*) : This Government have approved the drawing of 1.25 cusecs of water.

Mr. A. Eachara Menon (*Chittur-Rural*) : What about our rights?

Mr. V. K. Aravindaksha Menon (*Chief Engineer*) : The House will understand that this water is used for drinking purposes.

Mr. E. Ikkanda Warriar (*Cheruthuruthi*) : On what basis was this quantity arrived at?

Mr. V. K. Aravindaksha Menon (*Chief Engineer*) : That was what they required.

TUPPANKAVIL BRIDGE—CONDITION OF

244. മിസ്റ്റർ ടി. എ. റാമചന്ദ്രയ്യർ : താഴെ ചോദ്യത്തിന്റേ അവമേള ആയവായി മറുപടി പറയുമോ .—

മ. (a) തൃശ്ശിവപേരൂർ ചാലക്കുടി റോഡിൽ ൧൦-ാം മൈൽ വു-൦൦ ഫർലോണിലുള്ള തുപ്പങ്കവിൽ പാലം ഇപ്പോൾ ഏതു സ്ഥിതിയിലിരിക്കുന്നു;